

THE OPEN UNIVERSITY OF SRI LANKA
BACHELOR OF MANAGEMENT STUDIES – LEVEL 5
ASSIGNMENT TEST – 2011
QUANTITATIVE TECHNIQUES FOR MANAGEMENT II – MCU 3209
DURATION – TWO (02) HOURS



DATE : 15th October 2011

TIME : 2.00pm – 4.00 pm

ANSWER ANY FOUR QUESTIONS.

STANDARD NORMAL DISTRIBUTION TABLE IS PROVIDED.


USE OF A NON-PROGRAMMABLE CALCULATOR IS ALLOWED.

- Q1)** a) Evaluate the expression ${}^nC_r p^r q^{(n-r)}$ when $n = 7, r = 3$ and $p = 0.4$
- b) Electric bulbs are packed in boxes, eight in each box. The probability that a bulb is defective is 0.3. If a box is selected randomly.
- (i) What is the probability that none of the bulbs in the box are defective?
 - (ii) What is the probability that exactly two bulbs in the box are defective?
 - (iii) What is the probability that more than two bulbs in the box are defective?
- c) What is the probability that less than eight bulbs in a box of 30 similar bulbs are defective?
- Q2)** a) Evaluate the expression $e^{-a} \frac{a^x}{x!}$ when $a = 2, x = 3$ and $e = 2.71$
- b) The management of a garment factory is concerned about frequent power failures and observes that on the average there are two power failures each month.
- (i) What is the probability that there will be no power failures next month?
 - (ii) What is the probability that there will be one power failure next month?
 - (iii) What is the probability that there will be more than one power failure next month?
 - (iv) What is the probability of three power failures in the next two months?

- Q3) a) What are the properties of the Normal Distribution?
b) The life time of a bulb is normally distributed with mean 1000 hours and standard deviation 50 hours.
- (i) What percentage of bulbs will burn in less than 900 hours?
(ii) What percentage of bulbs will burn after 1050 hours?
(iii) The company that manufactures bulbs has offered to replace a bulb free of charge if ever it burns in less than 925 hours. This offer is estimated to cost Rs.200 per bulb to the company. It is observed that on the average the monthly sale of bulbs is 75,000. How much will this offer to replace bulbs cost the company (per month)?
- Q4) a) Why do people resort to sampling instead of studying the full population?
b) A garment factory has a work force of 1000. To estimate the daily output of workers, a sample of 50 workers was analyzed. It was observed that the mean and standard deviation of output were 1800 and 280 respectively.
- (i) Construct a 95% confidence interval estimate for daily output.
(ii) Construct a 80% confidence interval estimate for daily output.
(iii) What should the sample size be for us to be 95% confident that the sampling error would not exceed 5%?
- Q5) a) Briefly explain the term "Level of significance" used in statistical tests.
b) A machine is designed to produce metal rods of length 50 cm. It is suspected that the machine setting has changed. To test this, a sample of 36 rods was randomly selected and their lengths were measured. It was observed that the mean and standard deviation of the length of rods were 46 cm and 8cm respectively. Carryout a statistical test to find weather the machine setting has being altered (use 5% level of significance)
- Q6) Write short notes on the following.
- (i) Sample and population
(ii) Point Estimate and Interval Estimate
(iii) Level of Significance
(iv) Normal Distribution and Standard Normal Distribution

-All Rights Reserved-

Normal Curve Areas




<i>z</i>	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990

Source: Abridged from Table I of A. Hald, *Statistical Tables and Formulas* (New York: John Wiley & Sons, Inc.), 1952. Reproduced by permission of A. Hald and the publisher.

Table A2. Values of z , the standard normal variable, from 0.0 by steps of 0.01 to 3.9, showing the cumulative probability up to z .
(Probability correct to 4 decimal places).

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998
.5	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998
.6	.9998	.9998	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999
.7	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999
.8	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999	.9999
.9	1.0000									



The curve is $N(0, 1)$, the standard normal variable. The table entry is the shaded area $\Phi(z) = \Pr(Z < z)$. For example, when $z = 1.96$ the shaded area is 0.9750. Critical values of the standard normal distribution will be found in the bottom row of Table A3.